

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN THE APPLICATION OF:

Applicant: Donald Schmidt

Serial Number: 09/932,081 Art Unit: 3635

Filed: August 20, 2001 Examiner: Steve Varner

**For: MODIFIED FLAT WALL MODULAR INSULATED CONCRETE
FORM SYSTEM**

**REQUEST FOR CORRECTED OFFICE ACTION
AND MAILING DATE RESET**

**Commissioner of Patents and Trademarks
PO Box 1450
Alexandria, Virginia 22313-1450**

Sir:

We have received an Office Action for the above-referenced application dated May 20, 2003. The References cited in the Office Action were not included in the mailing, nor were some of them included on PTO-892.

I hereby request that a corrected Office Action be mailed. Additionally, I hereby request that the date determining the time for response be reset to the new mailing date so that the Applicant can have the full response time.

Kindly mail all correspondence to the below named Agent of record. I anticipate an early examination and allowance.

Respectfully submitted,



**Eugene Byrd
Registration No. 47,361
Agent for Applicant
PO Box 2607
Fairfax, VA 22031
(703) 370-6282
Date Submitted: June 10, 2003**

06/11/2003 10:12 3014483950

06/10/2003 15:56 5405484434

SIEMENS PATENT SVCS

PAGE 01

PAGE 04

SIEMENS PATENT SERVICES

PO Box 42118
Fredericksburg, VA 22404
(540) 548-4404
Fax 540-548-4434

fax

FAX RECEIVED

JUN 12 2003

GROUP 3600

to: Group 3635

fax #: 703-872-9326

from: Eugene Byrd

date: June 10, 2003

subject: Serial Number 09/932,081

pages: 2

Official

Message: Attached please find a request for the mailing of a corrected Office Action and a request to have the date for response time restarted. Thank you.